DATE: 1-15-2014
S A F E T Y D A T A S H E E T PAGE: 1  SHIPPED FROM:  FASTCAP LLC  5016 PACIFIC HIGHWAY  FERNDALE WA 98248 PHONE: 360-752-2138
FOR ALL EMERGENCIES 888-443-3748 PREPARED BY: PRODUCT SAFETY DEPARTMENT
FASTCAP WEBSITE: HTTP:\\WWW.FASTCAP.COM
PRODUCT DESCRIPTION: MSC GLUE 001.000% WHITE PD PRODUCT CODE: 2P-10 WHITE
***** SAFETY DATA SHEETS *****
THE ATTACHED SAFETY DATA SHEET (SDS) IS AN IMPORTANT DOCUMENT.  THE OSHA HAZARDOUS COMMUNICATION STANDARD REQUIRES US TO FORWARD A SDS PRIOR TO OR ACCOMPANYING AN INITIAL SHIPMENT OF A PRODUCT AND THE "STANDARD" REQUIRES YOUR COMPANY TO KEEP THE MSDS ON FILE.  *
IF YOU ARE NOT RESPONSIBLE FOR HEALTH AND SAFETY IN YOUR COMPANY PLEASE INSURE THAT YOUR HEALTH AND SAFETY MANAGER RECEIVES THIS DOCUMENT.  * THANK YOU.
HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)
HEALTH>1

FLAMMABILITY ---->0
REACTIVITY ---->0
PERSONAL PROTECTION -->E

SAFETYDATASHEET PAGE: 2 SHIPPED FROM: ------

> FASTCAP LLC 5016 PACIFIC HIGHWAY FERNDALE WA 98248 PHONE: 360-752-2138

FOR ALL EMERGENCIES 888-443-3748 PREPARED BY: PRODUCT SAFETY DEPARTMENT

FASTCAP WEBSITE: HTTP:\\WWW.FASTCAP.COM

PRODUCT DESCRIPTION: MSC GLUE 001.000% WHITE PD

PRODUCT CODE: 2P-10 WHITE

SECTION I - PRODUCT INFORMATION:

PRODUCT DESCRIPTION:

MSC GLUE 001.000% WHITE PD

PRODUCT CODE:

2P-10 WHITE VERSION NUMBER: 1 DATE: 2/03/09

CHEMICAL NAME/FAMILY:

COLORANT

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION:

THIS PRODUCT CONTAINS, AS A COMPONENT, THE SUBSTANCE(S) LISTED BELOW

WHICH IS IDENTIFIED AS A HAZARDOUS CHEMICAL UNDER THE CRITERIA OF THE OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200.

OSHA ACGIH CAS DESCRIPTION PEL TLV OTHER DOES NOT

NUMBER MG/M3 MG/M3 LIMITS EXCEED(%)

13463-67-7 TITANIUM DIOXIDE (DUST) 10.0 10.0 -91.00 21645-51-2 ALUMINUM HYDROXIDE (AS AL) N.E. 10.0 -3.50

7631-86-9 SILICON DIOXIDE, AMORPHOUS 6.0 10.0 -5.50

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS:

BOILING POINT: N.A.

SPECIFIC GRAVITY: 3.8 - 4.3

VAPOR PRESSURE: N.A.

MELTING POINT: N.A.

VAPOR DENSITY: N.A. EVAPORATION RATE: N.A.

SOLUBILITY IN WATER: INSOLUBLE

APPEARANCE AND ODOR: POWDER - SLIGHT ODOR

SECTION IV - FIRE AND EXPLOSION HAZARD DATA:

FLASH POINT (METHOD USED):

THERE IS A COMPONENT IN THIS PRODUCT WITH A FLASH POINT OF C.

THE METHOD USED TO DETERMINE THIS IS:

ALL OTHER COMPONENTS USED IN THIS PRODUCT EITHER HAVE A HIGHER FLASH

POINT OR ARE NOT COMBUSTIBLE AND DO NOT HAVE A FLASH POINT.

SHIPPED FROM.

FASTCAP LLC 5016 PACIFIC HIGHWAY FERNDALE WA 98248 PHONE: 360-752-2138

FOR ALL EMERGENCIES 888-443-3748 PREPARED BY: PRODUCT SAFETY DEPARTMENT

FASTCAP WEBSITE: HTTP:\\WWW.FASTCAP.COM

SAFETYDATASHEETPAGE: 3

PRODUCT DESCRIPTION: MSC GLUE 001.000% WHITE PD

PRODUCT CODE: 2P-10 WHITE

SECTION IV - FIRE AND EXPLOSION HAZARD DATA: (CONT)

-----

EXTINGUISHING MEDIA:

USE FIRE FIGHTING MEDIA SUITABLE FOR SURROUNDING FIRE

SPECIAL FIRE FIGHTING PROCEDURES:

WEAR SELF-CONTAINED POSITIVE PRESSURE BREATHING APPARATUS.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

NONE KNOWN

\_\_\_\_\_\_

SECTION V - REACTIVITY DATA:

STABILITY: STABLE -> X UNSTABLE ->

STABILITY (CONDITIONS TO AVOID):

NONE KNOWN

INCOMPATILBILITY (MATERIALS TO AVOID):

NONE KNOWN

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE HAZARDOUS FUMES OF TITANIUM OXIDE.

HAZARDOUS POLYMERIZATION: WILL OCCUR -> WILL NOT OCCUR -> X

HAZARDOUS POLYMERIZATION (CONDITIONS TO AVOID):

NONE KNOWN

\_\_\_\_\_

SECTION VI - HEALTH HAZARD DATA:

HEALTH HAZARDS (ACUTE AND CHRONIC):

HEALTH HAZARD: INHALATION

SHORT TERM OVEREXPOSURE BY IHALATION TO TITANIUM DIOXIDE MAY CAUSE IRRITATION OF NOSE, THROAT, AND LUNGS WITH COUGH, DIFFICULTY BREATHING OR SHORTNESS OF BREATH. STUDIES SHOWED THAT EMPLOYEES WHO HAD BEEN EXPOSED TO TITANIUM DIOXIDE WERE AT NO GREATER RISK OF DEVELOPING LUNG CANCER THAN

S A F E T Y D A T A S H E E T PAGE: 4

FASTCAP LLC 5016 PACIFIC HIGHWAY FERNDALE WA 98248 PHONE: 360-752-2138

FOR ALL EMERGENCIES 888-443-3748 PREPARED BY: PRODUCT SAFETY DEPARTMENT

FASTCAP WEBSITE: HTTP:\\WWW.FASTCAP.COM

PRODUCT DESCRIPTION: MSC GLUE 001.000% WHITE PD

PRODUCT CODE: 2P-10 WHITE

\_\_\_\_\_\_

SECTION VI - HEALTH HAZARD DATA: (CONT)

WERE EMPLOYEES WHO HAD NOT BEEN EXPOSED TO TITANIUM DIOXIDE.
INHALATION OF AMORPHOUS SILICA MAY CAUSE DRYING OF MUCOUS MEMBRANES AND
IRRITATION OF NOSE, THROAT, AND LUNGS WITH NOSEBLEEDS, COUGH AND DIFFICULTY
BREATHING OR SHORTNESS OF BREATH.

HEALTH HAZARD: SKIN

MAY CAUSE IRRITATION TO SKIN

HEALTH HAZARD: INGESTION

THIS PRODUCT IS NOT EXPECTED TO BE TOXIC BY INGESTION. LARGE QUANTITIES OF MATERIALS INGESTED MAY CAUSE DISCOMFORT OR OBSTRUCTION OF THE DIGESTIVE SYSTEMS.

HEALTH HAZARD: EYE CONTACT

CONTACT WITH EYE MAY CAUSE EYE IRRITATION

\_\_\_\_\_\_

IS ANY CHEMICAL IN THIS PRODUCT AT A CONCENTRATION OF 0.1 % OR MORE CLASSIFIED AS A CARCINOGEN BY IARC, NTP, OR OSHA? NO

SIGNS AND SYMPTOMS OF EXPOSURE:

TITANIUM DIOXIDE: MAY CAUSE MECHANICAL EYE IRRITATION. LONG TERM EXPOSURE TO AIRBORNE DUST MAY CAUSE LUNG DAMAGE.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

TITANIUM DIOXIDE: NONE KNOWN

EMERGENCY FIRST AID: INHALATION

REMOVE TO FRESH AIR. IF NECESSARY, ADMINISTER ARTIFICIAL RESPIRATION, KEEP VICTIM WARM AND QUIET, GET MEDICAL ATTENTION.

EMERGENCY FIRST AID: SKIN

REMOVE CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH WITH SOAP OR MILD DETERGENT AND LARGE AMOUNTS OF WATER UNTIL NO EVIDENCE OF CHEMICAL REMAINS

SAFETYDATASHEETPAGE: 5

SHIPPED FROM: -----

FASTCAP LLC 5016 PACIFIC HIGHWAY FERNDALE WA 98248 PHONE: 360-752-2138

FOR ALL EMERGENCIES 888-443-3748
PREPARED BY: PRODUCT SAFETY DEPARTMENT

FASTCAP WEBSITE: HTTP:\\WWW.FASTCAP.COM

PRODUCT DESCRIPTION: MSC GLUE 001.000% WHITE PD

PRODUCT CODE: 2P-10 WHITE

SECTION VI - HEALTH HAZARD DATA: (CONT)

(AT LEAST 15 - 20 MINUTES). GET MEDICAL ATTENTION IMMEDIATELY.

EMERGENCY FIRST AID: INGESTION

IF VOMITING OCCURS, KEEP HEAD LOWER THAN HIPS TO HELP PREVENT ASPIRATION. TREAT SYMPTOMATICALLY AND SUPPORTIVELY. GET MEDICAL ATTENTION IF NEEDED.

EMERGENCY FIRST AID: EYE CONTACT

WASH EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER OR NORMAL SALINE, OCCASIONALLY LIFTING UPPER AND LOWER LIDS, UNTIL NO EVIDENCE OF CHEMICAL REMAINS (AT LEAST 15 - 20 MINUTES). GET MEDICAL ATTENTION IMMEDIATELY.

\_\_\_\_\_\_

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE:

\_\_\_\_\_\_

HANDLING: SPILLAGE

WEARING APPROPRIATE PERSONNEL PROTECTIVE EQUIPMENT, CONTAIN SPILL, COLLECT IN A SUITABLE CONTAINER.

HANDLING: WASTE DISPOSAL

DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS.

HANDLING: STORAGE

AVOID GENERATING DUST. AVOID CONTACT WITH EYES, SKIN, OR CLOTHING. WASH THOROUGHLY AFTER HANDLING. STORE IN A DRY WELL VENTILATED AREA. KEEP CONTAINER TIGHTLY CLOSED.

HANDLING: OTHER PRECAUTIONS

USE UNDER WELL-VENTILATED CONDITIONS AND RECOMMEND THAT EMPLOYEES WASH THOROUGHLY AFTER HANDLING PRODUCT.

\_\_\_\_\_\_

SECTION VIII - CONTROL MEASURES:

\_\_\_\_\_\_

CONTROL: RESPIRATORY PROTECTION

USE NIOSH APPROVED RESPIRATORY PROTECTION WHERE EXPOSURE LEVELS EXCEED REGULATORY LIMITS FOR HAZARDOUS COMPONENTS AND/OR FOR PARTICULATE MATTER.

CONTROL: VENTILATION

LOCAL EXHAUST VENTILATION AS NECESSARY TO CONTROL DUST AS APPLICABLE.

SAFETYDATASHEETPAGE: 6

SHIPPED FROM. -----

FASTCAP LLC 5016 PACIFIC HIGHWAY FERNDALE WA 98248 PHONE: 360-752-2138

FOR ALL EMERGENCIES 888-443-3748 PREPARED BY: PRODUCT SAFETY DEPARTMENT

FASTCAP WEBSITE: HTTP:\\WWW.FASTCAP.COM

PRODUCT DESCRIPTION: MSC GLUE 001.000% WHITE PD

PRODUCT CODE: 2P-10 WHITE

SECTION VIII - CONTROL MEASURES: (CONT)

CONTROL: GLOVES

GLOVES TO MINIMIZE SKIN CONTACT.

CONTROL: EYE PROTECTION

WEAR SAFETY GLASSES, GOGGLES, OR A SPLASH SHIELD TO PREVENT EYE CONTACT.

CONTROL: OTHER CLOTHING

WEAR LONG SLEEVED SHIRTS AND PANTS TO MINIMIZE SKIN CONTACT.

CONTROL: WORK/HYGIENE

WASH HANDS AND CONTAMINATED SKIN THOROUGHLY AFTER HANDLING. EYE WASH

STATION SHOULD BE AVAILABLE IN THE WORK AREA.

SECTION IX - OTHER REGULATORY INFORMATION:

SARA - THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICAL(S) SUBJECT TO THE REPORTING OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372: THIS INFORMATION SHOULD BE INCLUDED IN ALL MSDS'S THAT ARE COPIED AND DISTRIBUTED FOR THIS MATERIAL. DOES NOT

CAS # EXCEED(%) DESCRIPTION

NONE

TSCA - ALL INGREDIENTS USED TO PRODUCE THE ABOVE FORMULATION ARE IN COMPLIANCE WITH THE TOXIC SUBSTANCES AND CONTROL ACT INVENTORY AS REOUIRED BY FEDERAL LAW.

SECTION X - STATE REGULATORY INFORMATION:

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER ARE LISTED BELOW:

NONE

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS

SAFETYDATASHEETPAGE: 7

SHIPPED FROM: -----

FASTCAP LLC 5016 PACIFIC HIGHWAY FERNDALE WA 98248 PHONE: 360-752-2138

FOR ALL EMERGENCIES 888-443-3748 PREPARED BY: PRODUCT SAFETY DEPARTMENT

FASTCAP WEBSITE: HTTP:\\WWW.FASTCAP.COM

PRODUCT DESCRIPTION: MSC GLUE 001.000% WHITE PD

PRODUCT CODE: 2P-10 WHITE

\_\_\_\_\_\_

SECTION X - STATE REGULATORY INFORMATION: (CONT)

MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM

ARE LISTED BELOW:

NONE

CANADIAN WHMIS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS GIVEN IN WHMIS IS SHOWN BELOW:

NONE

FLORIDA: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL CHEMICAL AS LISTED IN THE FLORIDA IS SHOWN BELOW:

NONE

MASSACHUSETTS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL CHEMICAL AS LISTED IN THE MASSACHUSETTS SUBSTANCE LIST IS

SHOWN BELOW:

NONE

NEW JERSEY: NON-HAZARDOUS INGREDIENTS ARE BEING WITH HELD AS TRADE SECRET

INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS LISTED ON THE NEW JERSEY HAZARDOUS LIST IS GIVEN IN SECTION II OF THIS SDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

PENNSYLVANIA: NON-HAZARDOUS INGREDIENTS ARE BEING WITH HELD AS TRADE SECRET

INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS LISTED ON THE PENNSYLVANIA HAZARDOUS LIST IS GIVEN IN SECTION II OF THIS SDS. ANY

LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

RHODE ISLAND:ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL CHEMICAL AS LISTED IN THE RHODE ISLAND SUBSTANCE LIST IS SHOWN IN SECTION II OF THIS SDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

THIS INFORMATION IS ACCURATE AND RELIABLE TO THE BEST OF OUR KNOWLEDGE.

S A F E T Y D A T A S H E E T PAGE: 8

SHIPPED FROM: -----

FASTCAP LLC 5016 PACIFIC HIGHWAY FERNDALE WA 98248 PHONE: 360-752-2138

FOR ALL EMERGENCIES 888-443-3748
PREPARED BY: PRODUCT SAFETY DEPARTMENT

FASTCAP WEBSITE: HTTP:\\WWW.FASTCAP.COM

PRODUCT DESCRIPTION: MSC GLUE 001.000% WHITE PD

PRODUCT CODE: 2P-10 WHITE

IT IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED. FASTCAP CORPORATION ASSUMES NO LEGAL RESPONSIBILITY FOR THE USE OF, OR RELIANCE UPON, THESE DATA FOR HAZARDS WHICH MIGHT BE ASSOCIATED WITH THE USE OF THIS MATERIAL OR FOR THE RESULTS OBTAINED. IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE LAWS AND REGULATIONS.